

CYANOACRYLATE INTERCHANGE

Dynatex® Part No.	Ester Base	Color	Viscosity CPS	Gap Fill	General Description	Loctite® Part No.	ASI® Part No.	Hernon™ Part No.	Bostik® Part No.
42000	Ethyl	Clear	3	.002"	Ultra Fast Wicking Grade - Ideal for wood	420	RP-5, M-5-1, SI-5	119	7431
42001	Ethyl	Clear	3	.002"	Wicking Grade - Works well w/Elastomers	412	Undetermined	Undetermined	Undetermined
42002	Ethyl	Clear	5	.002"	General Purpose Wicking Grade - Ideal for plastics	Undetermined	RP-5L	Undetermined	7530
42003	Ethyl	Clear	30	.003"	General Purpose	494	Undetermined	Undetermined	7532
42004	Ethyl	Clear	15	.004"	General Purpose	495	RP-30	113	Undetermined
42006	Ethyl	Clear	100	.005"	Rubber Bonder	404	Undetermined	123	Undetermined
42008	Ethyl	Clear	40	.003"	Rubber Bonder	Undetermined	RP-45	Undetermined	7430
42010	Ethyl	Clear	100	.006"	Plastic Bonder	414	RP-100, RP-200	123	7432
40030	Ethyl	Clear	125	.006"	Rubber Bonder	465	SI-30++	Undetermined	Undetermined
42025	Ethyl	Clear	250	.006"	General Purpose	Undetermined	RP-500	Undetermined	7433
42028	Ethyl	Clear	250	.006"	Rubber Bonder	424	Undetermined	Undetermined	Undetermined
42240-05	Ethyl	Clear	500	.008"	Flexible	Undetermined	Undetermined	Undetermined	7534
42241-05	Ethyl	Black	500	.006"	Black Flexible - Excellent peel & shock resistance	380	Undetermined	125	Undetermined
42050	Ethyl	Clear	500	.007"	General Purpose	335	Undetermined	Undetermined	Undetermined
42051	Ethyl	White	500	.007"	White	405	Undetermined	133	Undetermined
4005Z	Ethyl	Clear	800	.007"	General Purpose - Very flexible	444	RP-750, RP-1000	115	Undetermined
45500	Ethyl	Clear	800	.007"	Rubber Bonder	447, 498	SI-500	134, 120	Undetermined
42240-10	Ethyl	Clear	1000	.008"	Flexible	Undetermined	Undetermined	Undetermined	Undetermined
42241-10	Ethyl	Black	1000	.006"	Black - Rubber toughened - Flexible	480	Undetermined	126	Undetermined
42150	Ethyl	Clear	1500	.008"	General Purpose - High viscosity w/quick set	415, 416	RP-1500, RP-2000, SI-1500	114, 117	7474
42220	Ethyl	Black	1500	.008"	Black General Purpose	Undetermined	Undetermined	Undetermined	Undetermined
42240	Ethyl	Clear	2400	.008"	Flexible - High temp resistant	422, 411	Undetermined	131	7535
42241	Ethyl	Black	2400	.008"	Black Flexible - Ideal for speaker & electronic ind.	410	Undetermined	130	Undetermined
42300	Ethyl	Clear	3000	.008"	General Purpose	422	RP-2400 & 3200, SI-2000 & 3200	121	7435
42500	Ethyl	Clear	5000	.008"	General Purpose - Suite for porous materials	382	RP-4000, SI 4000	Undetermined	Undetermined
42996	Ethyl	Clear	Gel	.010"	Fast Gel	409, 454	SI-GEL6	138	Undetermined
42999	Ethyl	Clear	Gel	.010"	General Purpose	499	RP-GEL	127, 122	Undetermined
42999B	Ethyl	Black	Gel	.010"	Black Gel	426	Undetermined	144	Undetermined
45100	Methyl	Clear	90	.005"	Metal Bonder	430, 496	M-60, M-100, M5-1	110	Undetermined
45005	Ethoxyethyl	Clear	5	.002"	Wicking Grade - Low bloom, Low odor	408	Undetermined	107	Undetermined
45008	Ethoxyethyl	Clear	80	.004"	General Purpose - Low bloom, Low odor	460	Undetermined	136	7531
55100	Ethoxyethyl	Clear	1000	.008"	Low Bloom, Low Odor	403	Undetermined	132	Undetermined
420H1	Ethyl	Clear	2	.004"	Surface Insensitive	406	Undetermined	124	Undetermined
420H2	Ethyl	Clear	30	.003"	Surface Insensitive	Undetermined	Undetermined	Undetermined	Undetermined
420H3	Ethyl	Clear	60	.004"	Surface Insensitive	Undetermined	Undetermined	Undetermined	Undetermined
420H4	Ethyl	Clear	100	.005"	Surface Insensitive	401	SI-120	135	Undetermined
46020		Clear	N/A		Cyano Remover	Undetermined	Undetermined	Undetermined	Undetermined
405-1 (1lb.)	Ethyl	Clear	3	.005"	Metal Adhesive	Undetermined	M5-1	Undetermined	Undetermined
40002		Clear	N/A		Accelerator	Undetermined	RP500-15	Undetermined	Undetermined
52402 (2oz)		Straw		.002"	Structural Adhesive w/Activator	Undetermined	MP5240	Undetermined	Undetermined
52401 (1lb)		Straw		.002"	Structural Adhesive w/Activator	Undetermined	MP5240	Undetermined	Undetermined

The Loctite® trademark is a registered trademark of Henkel Corporation. The ASI® trademark is a registered trademark of ASI Corporation. The Hernon™ trademark is a trademark of Hernon Corporation. The Bostik® trademark is a registered trademark of Bostik Corporation. Henkel Corporation, ASI Corporation, Hernon Corporation, and Bostik Corporation are an independent companies that are not related to or affiliated with Dynatex, inc. in any way.