

MATERIAL SAFETY DATA SHEET

BOSS 515 E-Z TURN

SECTION 1:

MANUFACTURER'S NAME: ACCUMETRIC LLC
ADDRESS: 350 RING ROAD
CITY, STATE, & ZIP: ELIZABETHTOWN, KY 42701
EMERGENCY TELEPHONE NO.: 270/769-3385

SECTION 2: HAZARDOUS INGREDIENTS

NONE

SECTION 3 PHYSICAL & CHEMICAL CHARACTERISTICS

BOILING POINT @ 76 mmHg: 212°F
SPECIFIC GRAVITY: 1.24
VAPOR PRESSURE (mmHg): 20°C 18 mmH
VAPOR DENSITY (AIR = 1): 0.6
SOLUBILITY IN WATER: Appreciable
REACTIVITY IN WATER: Slower
APPEARANCE AND ODOR: Grey gel, very mild odor

SECTION 4 FIRE & EXPLOSION DATA

FLASH POINT: None
FLAMMABLE LIMITS IN AIR
BY VOLUME: N/A
AUTO-IGNITION TEMPERATURE: N/A
EXTINGUISHER MEDIA: Use CO₂ foam, dry chemical or water fog.
SPECIAL FIRE FIGHTING
PROCEDURES: Use eye protection. Use self-contained breathing apparatus while in confined areas.
UNUSUAL FIRE & EXPLOSION
HAZARDS: None known.

SECTION 5 PHYSICAL HAZARDS (REACTIVITY DATA)

STABILITY: Stable
INCOMPATIBILITY (MATERIALS TO AVOID): None except for oils as it is a water-based material.
HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 6 HEALTH HAZARDS

SIGNS & SYMPTOMS OF EXPOSURE: None expected. Possible redness or mild transient irritation of the skin may occur in sensitive individuals.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May be irritating in eyes.
CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN?: SKIN - wash with soap and water. If irritation occurs, consult physician.
EYES - flush with tepid water for 15 minutes holding eyelids apart.
No

SECTION 7 SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Use normal storage and handling. Protect from freezing.
OTHER PRECAUTIONS: Keep out of the reach of children.
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wipe up with rags. Place in disposal container.
WATER DISPOSAL METHODS: Product is biodegradable. Recommend large amounts be disposed in sanitary landfill in accordance with Federal, State, and Local regulations.

SECTION 8
SPECIAL PROTECTION INFORMATION/CONTROL
MEASURES

| | |
|--|--|
| RESPIRATORY PROTECTION: | None required in normal conditions. |
| VENTILATION: | Local Exhaust: (50) fpm Mechanical (General): (50) fpm Special: None |
| PROTECTIVE GLOVES: | None required. |
| EYE PROTECTION: | Sufficient to prevent contact. |
| OTHER PROTECTIVE CLOTHING OR EQUIPMENT: | None required. |
| DATE: | FEBRUARY 20, 2002 |