

Safety Data Sheet

BOSS® 334 Minimal Expanding Foam Gun Grade

Section 1. Identification

Product Identifier Synonyms Manufacturer Stock Numbers	BOSS® 334 Minimal Expanding Foam Gun Grade 334KIT; 33424; 03866BR10; 043759901 03866BR10; 043759901		
Recommended use Uses advised against	Refer to Technical Information Refer to Technical Information		
Manufacturer Contact Address	Soudal Accumetric 350 Ring Road Elizabethtown, KY, 42701 USA		
	Phone (270) 769-3385	Emergency Phone (800) 424-9300 CHEMTREC	Fax (270) 765-2412

Section 2. Hazards Identification

ACUTE TOXICITY - INHALATION - Category 4 CARCINOGENICITY - Category 2 EYE DAMAGE/IRRITATION - Category 2A FLAMMABLE AEROSOLS - Category 1 HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD -Category 4 SENSITIZATION - RESPIRATORY - Category 1 SENSITIZATION - SKIN - Category 1 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (Repeated Exposure) - Category 2

Signal Word Pictogram

SPECIFIC TARGET ORGAN TOXICITY (Single Exposure) - Category 3 TOXIC TO REPRODUCTION - EFFECTS ON OR VIA LACTATION

Danger



		• •
1	Hazard Statements	Causes serious eye irritation Causes skin irritation Extremely flammable aerosol Harmful if inhaled May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May cause damage to organsthrough prolonged or repeated exposure. May cause harm to breast-fed children May cause long lasting harmful effects to aquatic life May cause respiratory irritation. Suspected of causing cancer.
	Precautionary Statements	
	Response	Get medical advice/attention if you feel unwell. If exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If medical advice is needed, have product container or label at hand. If on skin: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse.
	Prevention	 Avoid breathing spray. Avoid contact during pregnancy/while nursing. Avoid release to the environment Contaminated work clothing must not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood. Do not spray on an open flame or other ignition source. In case of inadequate ventilation wear respiratory protection. Keep away from heat. Obtain special instructions before use. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing.
	Storage	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F Store in a well-ventilated place. Keep container tightly closed. Store locked up.

٥F.

Disposal	Dispose of contents/container in accordance with local/regional/national/ international regulations.
Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	
Additional information	Contains isocyanates. May produce an allergic reaction.
Other information	Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
9016-87-9	Polymeric diphenylmethane diisocyanate	40% - 50%
115-10-6	Dimethyl ether	1% - 10%
13674-84-5	Trichorylpropylene Phophate	1% - 10%
85535-85-9	alkanes, C14-17, chloro	1% - 10%
75-28-5	Isobutane	1% - 10%
74-98-6	Propane	< 5 %

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

General information	Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
After inhalation	Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.
After skin contact	If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
After eye contact	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing	Call for a doctor immediately.
Most important symptoms and effects, both acute and delayed	No further relevant information available.
Indication of any immediate medical attention and special treatment needed	e No further relevant information available.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media Unsuitable Extinguishing Media	Foam CO2, sand, extinguishing powder. Do not use water. Water with full jet.
Special hazards arising from the substance or mixture	In case of fire, the following can be released: Nitrogen oxides (NOx) Carbon monoxide (CO) Hydrogen cyanide (HCN)
Advice for firefighters	Protective equipment: Mouth respiratory protective device. Additional information: Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep away from ignition sources. Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away.
Environmental precautions	Do not allow to enter sewers/ surface or ground water. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
Methods and material for containment and cleaning up	Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Section 7. Handling and Storage

Precautions for safe handling	Ensure that suitable extractors are available on processing machines Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
Information about fire - and explosion protection	Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
Requirements to be met by storerooms and receptacles	Store in a cool location. Observe official regulations on storing packagings with pressurized containers.
Information about storage in one common storage facility	Store away from oxidizing agents. Do not store together with acids. Do not store together with alkalis (caustic solutions).
Further information about storage conditions	Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting. Protect from humidity and water. Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. No further relevant information available.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Polymeric diphenylmethane diisocyanate	0.005 ppm	0.02 mg/m≈	N/A
	Dimethyl ether	N/A	400 ppm	N/A
	Trichorylpropylene Phophate	N/A	N/A	N/A
	alkanes, C14-17, chloro	N/A	N/A	N/A
	Isobutane	1000 ppm	N/A	1000 ppm
	Propane	1000 ppm TWA	1000 ppm PEL	N/A
Personal Protective Equipment	Goggles, Gloves			
General protective and hygienic measures	Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.			
Respiratory protection	In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.			
Protection of hands	substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.			
			ifacturer. of the	
Eye protection			of the	

Section 9. Physical and Chemical Properties

Physical State

Specific end use(s)

Aerosol

Color	According to
	product
	specification
Odor	Characteristic
Odor Threshold	N/A
Solubility	Insoluble in water
Partition coefficient Water/n-octanol	N/A
VOC%	20% (by wt) 189 g/L
Viscosity	N/A
Specific Gravity	N/A
Density Ibs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	-21C
FP Method	N/A
рН	N/A
Melting Point	Undetermined
Boiling Point	Undetermined
Boiling Range	N/A
LEL	3
UEL	18.6
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	Product is not
	selfigniting
Vapor Pressure	N/A
Vapor Density	N/A

Note

The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

Section 10. Stability and Reactivity

Thermal decomposition / conditions to be avoided	No decomposition if used according to specifications.
Possibilty of hazardous reactions	No dangerous reactions known
Conditions to avoid	No further relevant information available.
Incompatible materials	No further relevant information available.
Hazardous decomposition products	Carbon monoxide Nitrogen oxides (NOx) Hydrogen cyanide (prussic acid)

Section 11. Toxicological Information

Primary irritant effect	on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect.
Sensitization	Sensitization possible through inhalation. Sensitization possible through skin contact.
Additional toxicological information	The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful Irritant
CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)	·

Section 12. Ecological Information

Aquatic toxicity	No further relevant information available.
Persistance and degradibilty	No further relevant information available.
Bioaccumulative potential	No further relevant information available.
Mobility in soil	No further relevant information available.
Additional ecological information	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Results of PBT and vPvB assessment	PBT: Not applicable. vPvB: Not applicable.
Other adverse effects	No further relevant information available.

Section 13. Disposal

Waste treatment methods	Must not be disposed of together with household garbage. Do not allow product
Recommendation	to reach sewage system.
Uncleaned packagings	Disposal must be made according to official regulations.

Section 14. Transport Information

UN Number	1950
UN Proper Shipping Name	ADR: 1950 AEROSOLS IMDG: AEROSOLS IATA: AEROSOLS, flammable
DOT Classification	ADR Class 2 5F Gases. Label 2.1 IMDG, IATA Class 2.1 Label 2.1
Packing Group	ADR, INDG, IATA: Void
Marine Pollutant	No
Special precautions for	Warning: Gases
user	EMS Number: F-D, S-U

Transport in bulk according Not applicable to Annex II of MARPOL73/78 and the IBC Code

Section 15. Regulatory Information

No further relevant information available.

Safety, health and environmental regulations/legislation specific for the substa Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Section 16. Other Information

Revision Date

1/3/2018

Disclaimer

The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.