# **MSDS** Document

# **Product BOSS® 470 Light Purpose Compound**

# 1. Chemical Product and Company Identification

## Trade Name of this Product BOSS® 470 Light Purpose Compound

**Synonyms:** 02620CL10, 02620CL07, 01732CL01, 02620CL01D, C19030CL

#### MSDS ID BOSS470

Manufacturer

Accumetric, LLC 350 Ring Road

Elizabethtown, KY 42701

**Phone Number** 

(270) 769-3385

**Emergency Phone** 

CHEMTREC (800) 424-9300 **Revision Date** 1/28/2013





# 2. Composition and Information on Ingredients

<b>Ingredient</b> Dimethylpolysiloxane	<b>CAS Number</b> 63148-62-9	<b>Weight %</b> 60% - 90%	ACGIH TLV	PEL	STEL
Hydrophobic silica	68611-44-9	2% - 20%			
Amorphous fumed silica	112945-52-5	2% - 20%	10 mg/m3	6 mg/m3	
Oxirane, methyl-, polymer	52624-57-4	0.5% - Max			
Trimethoxyboroxin	102-24-9	0.5% - Max	10 mg/m	10 mg/m	

## 3. Hazard Identification

## **Eye Contact**

May cause eye irritation.

#### **Skin Contact**

No significant effects expected from a single short-term exposure.

Page 2 6 Print Rev. Date 01/28/2013 MSDS ID BOSS470 BOSS® 470 Light Purpose Compound

#### Inhalation

No significant effects expected from a single short-term exposure.

#### Ingestion

May cause irritation. Do not induce vomiting.

#### 4. First Aid Information

#### **Eye Contact**

Immediately flush eyes with water for at least 15 minutes. Get medical attention if irritation develops.

#### **Skin Contact**

Wash affected area throughly with soap and water. Remove contaminated clothing and launder before re-use. Get medical attention if irritation develops.

#### Inhalation

Not known to cause inhalation problems.

### Ingestion

DO NOT INDUCE VOMITING. Seek immediate medical attention.

## 5. Fire Fighting Measures

Flash Point >300C FP Method Unknown

## **Auto-ignition Temperature**

Not determined

#### **Extinguishing Media**

Use carbon dioxide or dry chemical on small fires. Use foam and/or water spray for large fires.

## **Special Fire Fighting Procedures**

Fire fighters should wear full protective clothing including self contained breathing apparatus.

#### **Unusual Fire or Explosion Hazards**

None known

### 6. Accidental Release Measures

### Steps to be taken in case of spill or release

Observe all personal protection equipment. Use absorbent material to collect and contain material for disposal.

Local, state and federal laws and regulations may apply to releases and disposal of this

Page 3 6 Print Rev. Date 01/28/2013 MSDS ID BOSS470 BOSS® 470 Light Purpose Compound

material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

## 7. Handling and Storage

## Handling

Keep container closed when not in use. Avoid prolonged skin contact. Keep away from eyes. Use recommended personal protective equipment.

#### Storage

Store below 100°F.

## 8. Exposure Controls and Personal Protection

#### **Eye Protection**

Use proper protection - safety glasses as a minimum.

#### **Skin Protection**

Chemical resistant rubber (e.g. neoprene, butyl rubber, nitrile) gloves and other protective gear as needed to prevent skin contact.

#### Ventilation

Good general ventilation should be sufficient.

#### **Precautionary Measures**

Avoid eye and skin contact. Keep container closed when not in use. Do not take internally.

#### Note

These precautions are for room temperature handling. Use at elevated temperatures or aerosol/spray applications may require added precautions.

## 9. Physical and Chemical Properties

Paste **Physical State Specific Gravity** 1.03 Density Ibs/Gal. 8.55 Color/Appearance Translucent Odor Slight, sweet pН Not applicable Boiling/Cond. Point >300C Melting/Freezing Point Not applicable Solubility Insoluble **Evaporation Rate** Not determined

VOC % 10 g/L Percent Volatile < 2

**Viscosity** 1,000,000 cPs

Vapor Density >1

Vapor Pressure < 5 mm Hg

#### Note

The above information is not intended for use in preparing product specifications. Contact

Page 4 6 Print Rev. Date 01/28/2013 MSDS ID BOSS470 BOSS® 470 Light Purpose Compound

Accumetric LLC before writing specifications.

## 10. Stability and Reactivity

#### **Chemical Stability**

Stable

#### **Hazardous Polymerization**

Will not occur

#### **Conditions to Avoid**

None known

## Materials to Avoid / Incompatibilities

Strong acids, bases and strong oxidizers.

## 11. Toxicological Information

### Carcinogenicity

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

#### Sensitizer

This product is not known to be a sensitizer.

### Mutagenicity

This product is not known to be a mutagen.

## **Reproductive Toxin**

This product is not known to be a reproductive toxin.

#### **Teratogenicidad**

No se tiene conocimiento de que este producto sea teratógeno.

# 12. Ecological Information

## **Environmental Fate and Distribution**

Complete information is not yet available.

## **Environmental Effects**

Complete information is not yet available.

# Fate and Effects in Waste Water Treatment Plants

Complete information is not yet available.

## 13. Disposal Considerations

#### **Waste Disposal Method**

We make no guarantee or warranty of any kind that the use or disposal of this product

Page 5 6 Print Rev. Date 01/28/2013 MSDS ID BOSS470 BOSS® 470 Light Purpose Compound

complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

## 14. Transportation Information

#### **DOT Road Shipment Information**

DOT Shipping Name: Unrestricted

DOT Hazard Class: Non-hazardous, unrestricted

UN/NA Number: None

Label Required: No special labeling is required

## 15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### **TSCA Status**

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

# SARA Title III Section 302 Extremely Hazardous Substances

None

## SARA Titre III Section 304 CERCLA Substances dangereuses

None

#### SARA Title III Section 311/312

No components subject to 40 CFR 370

#### **SARA Title III Section 313 Toxic Chemicals**

None present or none present in regulated quantities.

## **California Proposition 65**

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None known

#### **Massachusetts**

Silica, amorphous fumed (112945-52-5)

#### **New Jersey**

Silica, amorphous fumed (112945-52-5)

#### Pennsylvania

Silica, amorphous fumed (112945-52-5)

Page 6 6 Print Rev. Date 01/28/2013 MSDS ID BOSS470 BOSS® 470 Light Purpose Compound

## 16. Other Information

## **Disclaimer**

The data contained herein is based upon information that Accumetric LLC believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.