

Safety Data Sheet

BOSS® 335 Gun Foam Cleaner

Section 1. Identification

Product Identifier BOSS® 335 Gun Foam Cleaner

Synonyms 812KIT; 334KIT; 33512; 03978CL10

Manufacturer Stock 03978CL10 Numbers

Recommended use Refer to Technical Information
Uses advised against Refer to Technical Information

Manufacturer Contact

Address Soudal Accumetric 350 Ring Road

Elizabethtown, KY, 42701

USA

Phone Emergency Phone Fax

(270) 769-3385 (800) 424-9300 (270) 765-2412

CHEMTREC

Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2A

FLAMMABLE AEROSOLS - Category 1

SPECIFIC TARGET ORGAN TOXICITY (Single Exposure) - Category 3

Signal Word Danger

Pictogram



Hazard Statements Causes serious eye irritation

Extremely flammable aerosol

May cause drowsiness or dizziness.

Precautionary Statements

Response Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Prevention Avoid breathing spray.

Do not spray on an open flame or other ignition source.

Keep away from heat.

Pressurized container: Do not pierce or burn, even after use.

Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling. Wear eye protection/face protection.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/

international regulations.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

Additional information EUH066 Repeated exposure may cause skin dryness or cracking.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
74-98-6	Propane	< 5 %
75-28-5	Isobutane	15% - 20%
67-64-1	2-Propanone	80% - 85%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

 Most important symptoms No further relevant information available.

and effects, both acute and

delayed

Indication of any immediate No further relevant information available.

medical attention and special treatment needed

Section 5. Fire Fighting Measures

Suitable Extinguishing

Foam

Media

Unsuitable Extinguishing

Water with full jet.

Media

Special hazards arising from the substance or

No further relevant information available

mixture

Advice for firefighters Protective equipment

Mouth respiratory protective device.

Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

Section 6. Accidental Release Measures

Personal precautions,

Ensure adequate ventilation

Keep away from ignition sources.

protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for

Ensure adequate ventilation.

containment and cleaning

up

Reference to other

See Section 7 for information on safe handling.

sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7. Handling and Storage

Precautions for safe

Ensure good ventilation/exhaustion at the workplace.

handling

Open and handle receptacle with care.

explosion protection

Information about fire - and Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to

temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even

after use.

Requirements to be met by Store in a cool location.

storerooms and Store only in the original receptacle.

receptacles Observe official regulations on storing packagings with pressurized

containers.

Information about

No special measures required.

protection against explosions and fires

Further information about Keep container tightly sealed. storage conditions Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Specific end use(s) No further relevant information available.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

re

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Propane	1000 ppm TWA	1000 ppm PEL	N/A
Isobutane	1000 ppm	N/A	1000 ppm
2-Propanone	500 ppm TWA	1000 ppm TWA	750 nnm

Personal Protective Equipment Goggles, Gloves

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Respiratory protection Protection of hands No respiratory protection should be needed with good local ventilation.

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given

for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times,

rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

checked phor to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

Eye protection Tightly sealed goggles

Section 9. Physical and Chemical Properties

Physical State	Aerosol	
Color	Colorless	
Odor	Characteristic	
Odor Threshold	Not	
	determined	
Solubility	Soluble in	
	water	
Partition coefficient Water/n-octanol	N/A	
VOC%	(EC) 100%	
Viscosity	N/A	
Specific Gravity	0.79	
Density lbs/Gal	N/A	
Pounds per Cubic Foot	N/A	
Flash Point	-19C	
FP Method	N/A	
Ph	Not	
	determined	
Melting Point	Undetermined	
Boiling Point	55C	
Boiling Range	N/A	
LEL	2.6	
UEL	13	
Evaporation Rate	N/A	
Flammability	Not applicable	
Decomposition Temperature	Not	
	determined	
Auto-ignition Temperature	Product is not	
	selfigniting	
Vapor Pressure	233 hPa @	
	20C	
Vapor Density	N/A	

Note The above information is not intended for use in preparing product

specifications. Contact Soudal Accumetric before writing specifications.

Section 10. Stability and Reactivity

Thermal decomposition / No decomposition if used according to specifications.

conditions to be avoided Possibility of hazardous

No dangerous reactions known.

reactions

Conditions to avoid No further relevant information available.

Incompatible materials No further relevant information available.

Hazardous decomposition No dangerous decomposition products known.

products

Section 11. Toxicological Information

Primary irritant effect On the skin: No irrritant effect

> On the eye: Irritating effect No sensitizing effects known

Additional toxicological

information

Sensitization

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the

latest version:

Irritant

Section 12. Ecological Information

Aquatic toxicity No further relevant information available. Persistance and No further relevant information available.

degradibilty

Bioaccumulative potential No further relevant information available. No further relevant information available. Mobility in soil

Additional ecological

information

Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water,

water course or sewage system.

Results of PBT and vPvB

assessment

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

Section 13. Disposal

Recommendation

Waste treatment methods Must not be disposed of together with household garbage. Do not allow

product to reach sewage system.

Uncleaned packagings Disposal must be made according to official regulations.

Section 14. Transport Information

UN Number 1950

UN Proper Shipping Name ADR: 1950 AEROSOLS IMDG: AEROSOLS IATA: AEROSOLS, flammable

DOT Classification ADR Class 2 5F Gases. Label 2.1 IMDG, IATA Class 2.1 Label 2.1

Packing Group Void Marine Pollutant No

Special precautions for Warning: Gases EMS Number: F-D, S-U user

Transport in bulk according Not applicable

Annex II of MARPOL73/78

and the IBC Code

Transport/Additional

information

ADR Limited quantities (LQ): 11

UN "Model Regulation": UN1950, AEROSOLS, 2.1

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substa No further relevant information available.

Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Section 16. Other Information

Revision Date

8/12/2016

Disclaimer

The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.