Safety Data Sheet BOSS^{TI} 357 20 Year Painters Latex Caulk

Section 1. Identification

Product Identifier Synonyms Manufacture Stock Numbers	BOSS […] 357 20 Year Painters Latex Caulk 03384WH10 N/A		
Recommended use Uses advised against	Refer to Technical Data Refer to Technical Data	e	
Manufacturer Contact Address	SOUDAL Accumetric 350 Ring Road Elizabethtown, KY, 4270 USA	01	
	Phone	Emergency Phone	Fax
	(270) 769-3385	(800) 424- 9300 Chemtrec	N/A

Section 2. Hazards Identification

Classification Signal Word Pictogram	N/A
Hazard Statements Precautionary Statements	N/A
Response	N/A
Prevention	N/A
Storage	N/A
Disposal	N/A
Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
7632-00-0	Sodium nitrate	0.1% - Max
27138-31-4	Dipropylene glycol dibenzoate	1% - 5%
13463-67-7	Titanium Dioxide	1% - 5%
64742-46-7	Distillates (petroleum), hydrotreated middle	1% - 5%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid Measures

Inhalation	Remove to fresh air. If symptoms persist, obtain appropriate medical attention.
Skin Contact	Wash affected area with soap and water.
Eye Contact	Rinse with water for 15 minutes. Obtain medical attention.
Ingestion	No first aid should be needed.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	N/A
Unsuitable Extinguishing Media	N/A
Extinguishing Media	Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog
Flammability Limits in Air	Lower: 0.9% by volume Upper: 15.3% by volume
Special Fire Fighting Procedures	Non-flammable (aqueous emulsion). After water evaporates, remaining material will burn. Breathing apparatus required when fighting fires in enclosed areas.
Unusual Fire or Explosion Hazards	Product will not burn, but may splatter if temperature exceeds boiling point of water. Dried solids can burn, giving off oxides of carbon.

Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Restrict area to only those personnel needed. Major spills should be collected for disposal. Minor spills may be flushed to sewer if permitted by state, federal and local regulations.

Section 7. Handling and Storage

<u> </u>	Avoid breathing vapors in top of shipping container. Keep container closed. Use with adequate ventilation. Avoid contact with skin and clothing. Wash throughly after handling.
Storage	Store in a cool dry place. Protect from freezing and excessive heat.

Section 8. Exposure Controls/Personal Protecction

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Sodium nitrate	N/A	N/A	N/A
	Dipropylene glycol dibenzoate	10 mg/m3	15	N/A
			mg/m3	
	Titanium Dioxide	5 mg/m3	5 mg/m3	10
				mg/m3
	Distillates (petroleum), hydrotreated middle	N/A	N/A	N/A
Personal Protective Equipment	Goggles, Gloves			
Eve Protection	Safety goggles or glasses with side shields are recommended.			

Eye Protection	Safety goggles or glasses with side shields are recommended.
Respiratory Protection	No respiratory protection should be needed with good local ventilation.
Ventilation	Local exhaust ventilation is recommended to maintain vapor level below TLV.

Skin Protection Impervious gloves are suggested.

Section 9. Physical and Chemical Properties

Physical State	Paste
Color	Various
Odor	Slight
Odor Threshold	N/A
Solubility	Dilutable in
	wet stage
Partition coefficient Water/n-	N/A
octanol	
Viscosity	750,000 cPs
Specific Gravity	1.72
Density Ibs/Gal	14.3541
Pounds per Cubic Foot	107.37609
Flash Point	Not
	determined
FP Method	N/A
Ph	8
Melting Point	OC
Boiling Point	100C
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	Slower than
	n-Butyl
	Acetate
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	Not
	Determined
Vapor Density	Lighter than
	air

NoteThe above information is not intended for use in preparing product specifications. Contact SOUDAL Accumentric before writing specifications.

Section 10. Stability and Reactivity

Chemical Stability	Stable
Materials to Avoid /	None known
Incompatibility	
Hazardous	Will not occur
Polymerization	

Section 11. Toxicological Information

Component Toxicology Information	No known applicable information.
Special Hazard Information on Components	No known applicable information.

Section 12. Ecological Information

Environmental Effects Complete information is not yet available. Environmental Fate and Complete information is not yet available. Distribution Fate and Effects in Complete information is not yet available. Waste Water Treatment Plants

Section 13. Disposal

Waste Disposal Method We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	N/A
DOT Classification	N/A
Packing Group	N/A

Ocean Shipment (IMDG)

Road Shipment Information (DOT) Air Shipment (IATA) Not subject to IMDG code. Not subject to DOT regulations. Not subject to IATA regulations.

Section 15. Regulatory Information

The c Comr	
SARA Title III Section None 302 Extremely Hazardous Substances	
SARA Titre III Section None 304 CERCLA Substances dangereuses	
SARA Title III Section Acute 312 Hazard Class	e: Yes Chronic: No Fire: No Pressure: No Reactive: No
SARA Title III Section None 313 Toxic Chemicals	present or none present in regulated quantities.
65 of Ca Act o	product contains the following chemical(s) listed by the State lifornia under the Safe Drinking Water and Toxic Enforcement f 1986 (Proposition 65) as being known to cause cancer, birth ets or other reproductive harm: None known

Section 16. Other Information

Revision Date

Disclaimer

5/18/2015

The data contained herein is based upon information that SOUDAL Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.