

# Safety Data Sheet

# **BOSS® 411 Silicone General Purpose Compound**

### Section 1. Identification

Product Identifier BOSS® 411 Silicone General Purpose Compound

Synonyms 41153

Manufacturer Stock

**Numbers** 

02618CL10; C19015CL

Recommended use Refer to Technical Information
Uses advised against Refer to Technical Information

**Manufacturer Contact** 

Address Soudal Accumetric

350 Ring Road

Elizabethtown, KY, 42701

USA

Phone Emergency Phone Fax

(270) 769-3385 (800) 424-9300 (270) 765-2412

**CHEMTREC** 

### Section 2. Hazards Identification

Classification N/A

Signal Word Pictogram

Hazard Statements N/A

**Precautionary Statements** 

Response N/A
Prevention N/A
Storage N/A
Disposal N/A

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

GHS Classification Not a hazardous substance or mixture. **GHS Label Element** Not a hazardous substance or mixture.

Other hazards None known

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
70131-67-8	Polydimethylsiloxanediol	5% - 10%
7631-86-9	Amorphous silica	7% - 13%
63148-62-9	Dimethylpolysiloxane	70% - 90%

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First-Aid Measures

Comments Treat according to person's condition and specifics of exposure.

Ingestion If irritation or discomfort occur, obtain medical advice.

Inhalation If symptoms are experienced remove source of contamination or move victim

to fresh air. If irritation persists, obtain medical advice.

Skin Contact No health effects expected. If irritation does occur, flush with lukewarm, gently

flowing water for 5 minutes. If irritation persists, obtain medical advice.

**Eve Contact** If irritation occurs, flush eye(s) with lukewarm, gently flowing water for 5

minutes. Obtain medical attention.

# Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

On large fires use dry chemical, foam, or water spray. On small fires use carbon dioxide, dry chemical or water spray. Water can be used to cool fire

exposed containers.

Unsuitable Extinguishing

Media

None known

**Auto-ignition Temperature** Not determined Flammability Limits in Air

Special Fire Fighting

**Procedures** 

Not determined

Self-contained breathing apparatus and protective clothing should be worn when fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to

keep fire exposed containers cool.

Unusual Fire or Explosion None known

Hazards

#### Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Observe all personal protection equipment recommendations in Sections 5 and 8. Wipe or scrape up and contain for salvage or disposal. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbant or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

#### Section 7. Handling and Storage

Handling Use with adequate ventilation. Avoid eye contact.

Storage Use reasonable care and store away from oxidizing materials. This material in

its finely divided form presents an explosion hazard. Follow NFPA 654 (for chemical dusts) or 484 (for metal dusts) as appropriate for managing dust

hazards to minimize secondary explosion potential.

# Section 8. Exposure Controls/Personal Protection

Occupational Exposure **ACGIH TLV** OSHA PEL Ingredient Name STEL Limits

Polydimethylsiloxanediol	N/A	N/A	N/A
Amorphous silica	10 mg/m3	6 mg/m3	Not Est.
Dimethylpolysiloxane	N/A	N/A	N/A

Personal Protective Goggles

Equipment

Component Exposure

Limits

**Engineering Controls** 

**Eye Protection** Skin Protection There are no components with workplace exposure limits.

Local Ventilation: None should be needed

General Ventilation: Recommended

Use proper protection - safety glasses as a minimum. Washing at mealtime and end of shift is adequate.

Suitable gloves: Handle in accordance with good industrial hygiene and

safety practices.

Respiratory Protection No respiratory protection should be needed.

> Suitable Respirator: None should be needed.

**Precautionary Measures** 

Avoid eye contact. Use reasonable care.

Note

These precautions are for room temperature handling. Use at elevated temperatures or aerosol/spray applications may require added precautions.

# Section 9. Physical and Chemical Properties

Physical State	Paste
Color	Translucent white
Odor	Odorless
Odor Threshold	N/A
Solubility	Not
	determined
Partition coefficient Water/n-octanol	N/A
VOC%	Not
	determined
Viscosity	Not
	determined
Specific Gravity	1.1
Density Ibs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	>214F
	>101.1C
FP Method	Closed Cup
Ph	Not
	determined
Melting Point	Not
	determined
Boiling Point	Not
	determined
Boiling Range	
	N/A
LEL	N/A N/A
LEL	N/A
LEL UEL	N/A N/A
LEL UEL	N/A N/A Not
LEL UEL Evaporation Rate Flammability Decomposition Temperature	N/A N/A Not determined
LEL UEL Evaporation Rate Flammability	N/A N/A Not determined N/A
LEL UEL Evaporation Rate Flammability Decomposition Temperature	N/A N/A Not determined N/A N/A
LEL UEL Evaporation Rate Flammability Decomposition Temperature Auto-ignition Temperature Vapor Pressure	N/A N/A Not determined N/A N/A N/A N/A N/A Not determined
LEL UEL Evaporation Rate Flammability Decomposition Temperature Auto-ignition Temperature	N/A N/A Not determined N/A N/A N/A N/A N/A N/A Not

Note The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

# Section 10. Stability and Reactivity

Chemical Stability Stable
Hazardous polymerization
Conditions to Avoid None known

Materials to Avoid / Incompatibility

Oxidizing material can cause a reaction.

**Products** 

Hazardous Decomposition Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products:

Carbon oxides and traces of incompletely burned carbon compounds

Formaldehyde Silicon dioxide

# Section 11. Toxicological Information

Special Hazard Information No known applicable information. on Components

# Section 12. Ecological Information

Fate and Effects in Waste

Complete information is not yet available.

Water Treatment Plants **Environmental Effects** 

Complete information is not yet available.

**Environmental Fate and** 

Complete information is not yet available.

Distribution

# Section 13. Disposal

Waste Disposal Method

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

# Section 14. Transport Information

**UN Number** N/A

UN Proper Shipping Name Not regulated **DOT Classification** Not regulated **Packing Group** Not regulated

Ocean Shipment (IMDG) Not subject to IMDG code. Air Shipment (IATA) Not subject to IATA regulations.

# Section 15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication

Standard 29 CFR 1910.1200.

**TSCA Status** All chemical substances in this material are included on or exempted from

listing on the TSCA Inventory of Chemical Substances.

SARA Title III Section 302

**Extremely Hazardous** 

**Substances** 

SARA Titre III Section 304

CERCLA Substances

dangereuses

SARA Title III Section Acute: No 311/312 Hazard Class Chronic: No

> Fire: No Pressure: No Reactive: No

None

None

SARA Title III Section 313

**Toxic Chemicals** 

None present or none present in regulated quantities.

Note Chemicals are listed under the 313 Toxic Chemicals section only if they meet

or exceed a reporting threshold.

California Proposition 65 This product contains the following chemical(s) listed by the State of California

under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None known

Massachusetts Silica, amorphous (7631-86-9)
New Jersey Polydimethylsiloxane (63148-62-9)
Silica, amorphous (7631-86-9)

Dimethyl siloxane, hydroxy-terminated (70131-67-8)

Pennsylvania Polydimethylsiloxane (63148-62-9)

Silica, amorphous (7631-86-9)

Dimethyl siloxane, hydroxy-terminated (70131-67-8)

# Section 16. Other Information

Revision Date 11/10/2015

Disclaimer The data contained herein is based upon information that Soudal Accumetric

believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or

implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.