

Safety Data Sheet

BOSS® 760 Firestop Silicone

Section 1. Identification

Product Identifier BOSS® 760 Firestop Silicone

Synonyms 76050; 76029; 76020; 76010; 03421RD10; 03478RD17; 03466RD10;

03465RD01; C04073RD

Manufacturer Stock

Numbers

03421RD10; 03478RD17; 03466RD10; 03465RD01; C04073RD

Recommended use Refer to Technical Information
Uses advised against Refer to Technical Information

Manufacturer Contact

Address Soudal Accumetric

350 Ring Road

Elizabethtown, KY, 42701

USA

Phone Emergency Phone Fax

(270) 769-3385 (800) 424-9300 (270) 765-2412

CHEMTREC

Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2A

HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD -

Category 3

SENSITIZATION - SKIN - Category 1

SPECIFIC TARGET ORGAN TOXICITY (Repeated Exposure) - Category 2

Signal Word Warning

Pictogram





Hazard Statements Causes serious eye irritation

Harmful to aquatic life with long lasting effects

May cause an allergic skin reaction

May cause damage to organsthrough prolonged or repeated exposure.

Precautionary Statements

Response Get medical advice/attention if you feel unwell.

If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Read label before use.

Wash contaminated clothing before reuse.

Prevention Avoid breathing dust/fume/gas/mist/ vapors/spray.

Avoid release to the environment

Contaminated work clothing must not be allowed out of the workplace.

Do not breathe dust/fume/gas/mist/ vapors/spray.

Wash hands thoroughly after handling. Wear eye protection/face protection.

Wear protective gloves.

Storage N/A

Disposal Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

Additional Information None known

Section 3. Ingredients

CAS	Ingredient Name	Weight %
22984-54-9	Methyl Oximino Silane	1% - 5%
2224-33-1	Vinyl Oximino Silane	1% - 5%
1760-24-3	N-beta-(aminoethyl)-gamma-aminopropyltrimethoxysilane	1% - 5%
63148-62-9	Dimethylpolysiloxane	10% - 30%
112945-52-5	Amorphous fumed silica	5% - 10%
64741-44-2	Distillates (petroleum), straight-run middle	5% - 10%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Comments Treat according to person's condition and specifics of exposure.

Ingestion Get medical attention.

Inhalation Remove to fresh air. If symptoms persist, obtain appropriate medical attention.

Skin Contact Remove from skin and immediately flush with water for 15 minutes. Get

medical attention if irritation or ill effects develop or persist.

Eye Contact Immediately flush with water for 15 minutes. Seek medical attention.

Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Carbon dioxide, dry chemcial, foam, water, water fog or spray

Unsuitable Extinguishing

Media

None known

Auto-ignition Temperature Not determined Upper Explosive Limit (%) Not applicable Lower Explosive Limit (%) Not applicable

Special Fire Fighting

Fire fighters should wear full protective clothing including self contained

Procedures

breathing apparatus.

Unusual Fire or Explosion None known

Hazards

Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Observe all personal protection equipment recommendations. Pick up any debris to prevent footing hazard. Local, state and federal regulations may apply to releases and disposal of this material, as well as those materials and items employed in cleanup of releases.

Section 7. Handling and Storage

Handling Avoid eye contact. Avoid skin contact. Avoid breathing vapor.

Storage Keep container closed and store in a cool, well ventilated area, away from

water or moisture.

Other Precautions Product evolves methyl ethyl ketoxime (MEKO) when exposed to water or

humid air. Provide ventilation during use to control MEKO within the exposure

guidelines or use respiratory protection.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Methyl Oximino Silane	N/A	N/A	N/A

Vinyl Oximino Silane	N/A	N/A	N/A
N-beta-(aminoethyl)-gamma- aminopropyltrimethoxysilane	N/A	N/A	N/A
Dimethylpolysiloxane	N/A	N/A	N/A
Amorphous fumed silica	10 mg/m3	6 mg/m3	N/A
Distillates (petroleum), straight-run middle		N/A	N/A

Personal Protective Equipment

Il Protective Goggles, Gloves

Eye Protection

Safety goggles or glasses with side shields are recommended.

Skin Protection

Wash at mealtimes and end of shift. Contaminated clothing and shoes should be removed as soon as practical and thoroughly cleaned before

reuse. Chemical protective gloves are recommended.

Suitable Gloves: Silver Shield® 4H®

Ventilation

Good general ventilation should be sufficient.

Respiratory Protection

If engineering controls do not maintain airborne concentrations of hazardous ingredients below TLV, then a NIOSH/MSHA approved organic vapor respirator should be used. Not required under normal usage and adequate ventilation.

Ingestion

Do not eat, drink or smoke during work.

Section 9. Physical and Chemical Properties

Physical State	Paste
Color	Red
Odor	Slight
Odor Threshold	N/A
Solubility	Insoluble
Partition coefficient Water/n-octanol	N/A
VOC%	35 g/L
Viscosity	1,000,000
	cPs
Specific Gravity	1.395978
Density lbs/Gal	11.65
Pounds per Cubic Foot	87.14806
Flash Point	Not
	Determined
FP Method	N/A
Ph	Not
	applicable
Melting Point	Not
	determined
Boiling Point	Not
	determined
Boiling Range	N/A
LEL	N/A
UEL	N/A

Evaporation Rate	Not determined
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	Not
	determined
Vapor Density	Not
	determined

Note

The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

Section 10. Stability and Reactivity

Materials to Avoid /

None known

Incompatibility Conditions to Avoid

None known

Hazardous polymerization Will not occur

Chemical Stability

Stable

Section 11. Toxicological Information

Component Toxicology Information

No known applicable information.

Special Hazard Information No known applicable information.

on Components

Section 12. Ecological Information

Fate and Effects in Waste Water Treatment Plants

Complete information is not yet available.

Environmental Fate and Distribution

Complete information is not yet available.

Environmental Effects

Complete information is not yet available.

Section 13. Disposal

Waste Disposal Method

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Not regulated DOT Classification Not regulated Packing Group Not regulated

Ocean Shipment (IMDG) Not subject to IMDG code.

Air Shipment (IATA) Not subject to IATA regulations.

Section 15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication

Standard 29 CFR 1910.1200.

TSCA Status All chemical substances found in this product comply with the Toxic

Substances Control Act inventory reporting requirements.

California Proposition 65 This product contains the following chemical(s) listed by the State of California

under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None known

None

SARA Title III Section 302

Extremely Hazardous

Substances

SARA Titre III Section 304 None

CERCLA Substances

dangereuses

SARA Title III Section 313

Toxic Chemicals

None present or none present in regulated quantities.

Massachusetts Silica, amorphous fumed (112945-52-5)

New Jersey Hydroxy-terminated polydimethylsiloxane (70131-67-8)

Calcium carbonate (1317-65-3) Polydimethylsiloxane (63148-62-9) Silica, amorphous fumed (112945-52-5) Methyloximinosilane (22984-54-9)

Pennsylvania Hydroxy-terminated polymethylsiloxane (70131-67-8)

Calcium carbonate (1317-65-3)

Section 16. Other Information

Revision Date 8/12/2016

Disclaimer The data contained herein is based upon information that Soudal Accumetric

believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.