



Safety Data Sheet

BOSS® 357 Painters Latex Caulk

Section 1. Identification

Product Identifier BOSS® 357 Painters Latex Caulk
Synonyms 35701
Manufacturer Stock Numbers 03384WH10; C39030WH

Recommended use Refer to Technical Information
Uses advised against Refer to Technical Information

Manufacturer Contact

Address Soudal Accumetric
350 Ring Road
Elizabethtown, KY, 42701
USA

Phone
(270) 769-3385

Emergency Phone
(800) 424-9300
CHEMTREC

Fax
(270) 765-2412

Section 2. Hazards Identification

Classification N/A
Signal Word
Pictogram
Hazard Statements N/A
Precautionary Statements
Response N/A
Prevention N/A
Storage N/A
Disposal N/A

| | |
|----------------------------------|--|
| General | If medical advice is needed, have product container or label at hand Keep out of reach of children Read label before use |
| Ingredients of unknown toxicity | 0% |
| Hazards not Otherwise Classified | |
| Additional Information | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |

Section 3. Ingredients

| CAS | Ingredient Name | Weight % |
|------------|--|------------|
| 7632-00-0 | Sodium nitrate | 0.1% - Max |
| 27138-31-4 | Dipropylene glycol dibenzoate | 1% - 5% |
| 13463-67-7 | Titanium Dioxide | 1% - 5% |
| 64742-46-7 | Distillates (petroleum), hydrotreated middle | 1% - 5% |

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

| | |
|--------------|---|
| Ingestion | No first aid should be needed. |
| Inhalation | Remove to fresh air. If symptoms persist, obtain appropriate medical attention. |
| Skin Contact | Wash affected area with soap and water. |
| Eye Contact | Rinse with water for 15 minutes. Obtain medical attention. |

Section 5. Fire Fighting Measures

| | |
|-----------------------------------|---|
| Suitable Extinguishing Media | Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog |
| Unsuitable Extinguishing Media | None known |
| Flammability Limits in Air | Lower: 0.9% by volume Upper: 15.3% by volume |
| Special Fire Fighting Procedures | Non-flammable (aqueous emulsion). After water evaporates, remaining material will burn. Breathing apparatus required when fighting fires in enclosed areas. |
| Unusual Fire or Explosion Hazards | Product will not burn, but may splatter if temperature exceeds boiling point of water. Dried solids can burn, giving off oxides of carbon. |

Section 6. Accidental Release Measures

Steps to be taken in case of spill or release Restrict area to only those personnel needed. Major spills should be collected for disposal. Minor spills may be flushed to sewer if permitted by state, federal and local regulations.

Section 7. Handling and Storage

Storage Store in a cool dry place. Protect from freezing and excessive heat.
 Handling Avoid breathing vapors in top of shipping container. Keep container closed. Use with adequate ventilation. Avoid contact with skin and clothing. Wash thoroughly after handling.

Section 8. Exposure Controls/Personal Protection

| Occupational Exposure Limits | Ingredient Name | ACGIH TLV | OSHA PEL | STEL |
|------------------------------|--|----------------------|----------------------|----------------------|
| | Sodium nitrate | N/A | N/A | N/A |
| | Dipropylene glycol dibenzoate | N/A | N/A | N/A |
| | Titanium Dioxide | 10 mg/m ³ | 15 mg/m ³ | N/A |
| | Distillates (petroleum), hydrotreated middle | 5 mg/m ³ | 5 mg/m ³ | 10 mg/m ³ |

Personal Protective Equipment Goggles, Gloves
 Skin Protection Impervious gloves are suggested.
 Eye Protection Safety goggles or glasses with side shields are recommended.
 Respiratory protection No respiratory protection should be needed with good local ventilation.
 Ventilation Local exhaust ventilation is recommended to maintain vapor level below TLV.

Section 9. Physical and Chemical Properties

| | |
|---------------------------------------|------------------------|
| Physical State | Paste |
| Color | Refer to product label |
| Odor | Slight |
| Odor Threshold | N/A |
| Solubility | Dilutable in wet stage |
| Partition coefficient Water/n-octanol | N/A |
| VOC% | 8.6 g/L |
| Viscosity | 750,000 cPs |
| Specific Gravity | 1.72 |
| Density lbs/Gal | 14.3541 |
| Pounds per Cubic Foot | 107.37609 |
| Flash Point | Not determined |
| FP Method | N/A |

each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

Section 14. Transport Information

| | |
|-------------------------|----------------------------------|
| UN Number | N/A |
| UN Proper Shipping Name | Not regulated |
| DOT Classification | Not regulated |
| Packing Group | Not regulated |
| Air Shipment (IATA) | Not subject to IATA regulations. |
| Ocean Shipment (IMDG) | Not subject to IMDG code. |

Section 15. Regulatory Information

| | |
|---|--|
| TSCA Status | All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements. The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200. |
| SARA Title III Section 302 Extremely Hazardous Substances | None |
| SARA Title III Section 304 CERCLA Substances dangereuses | None |
| SARA Title III Section 312 Hazard Class | Acute: Yes Chronic: No Fire: No Pressure: No Reactive: No |
| SARA Title III Section 313 Toxic Chemicals | None present or none present in regulated quantities. |
| California Proposition 65 | This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None known |

Section 16. Other Information

| | |
|---------------|---|
| Revision Date | 11/6/2015 |
| Disclaimer | The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. |

All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.