



# Safety Data Sheet

## Dynatex® 49660 Ceramic Disc Brake Grease 8 Oz. Brush Top Bottle

### Section 1. Identification

Product Identifier Dynatex® 49660 Ceramic Disc Brake Grease 8 Oz. Brush Top Bottle  
Synonyms 49660GR06  
Manufacturer Stock Numbers 49660GR06

Recommended use Refer to Technical Information  
Uses advised against Refer to Technical Information

#### Manufacturer Contact

Address Dynatex a division of Soudal Accumatic  
350 Ring Road  
Elizabethtown, KY, 42701  
USA

Phone	Emergency Phone	Fax
(270) 769-3385	(800) 424-9300 CHEMTREC	(270) 769-6418

### Section 2. Hazards Identification

Classification N/A  
Signal Word  
Pictogram  
Hazard Statements None needed according to classification criteria  
Precautionary Statements  
Response N/A  
Prevention N/A  
Storage N/A  
Disposal N/A  
General If medical advice is needed, have product container or label at hand  
Keep out of reach of children  
Read label before use

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

GHS Label Element Not a hazardous substance or mixture.

GHS Classification Not a hazardous substance or mixture.

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
13463-67-7	Titanium Dioxide	0.1% - 0.5%
Trade Secret	NJTSRN 80100362-5018P	0.1% - 2%
Trade Secret	NJTSRN 80100362-5064P	0.1% - 2%
Trade Secret	NJTSRN 80100362-5107P	0.1% - 2%
Trade Secret	NJTSRN 80100362-5013P	1% - 10%
Trade Secret	NJTSRN 80100362-5004P	1% - 5%
Trade Secret	NJTSRN 80100362-5014P	1% - 5%
Trade Secret	NJTSRN 80100362-5075P	1% - 5%
Trade Secret	NJTSRN 80100362-5061P	20% - 60%
Trade Secret	NJTSRN 80100362-5008P	20% - 60%

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-Aid Measures

Ingestion Do not induce vomiting. Keep warm. Get medical attention.  
Inhalation Remove to fresh air. Seek medical attention if irritation persists.  
Skin Contact Wash with soap and water. Get medical attention if irritation develops.  
Eye Contact Flush with water for at least 15 minutes.

### Section 5. Fire Fighting Measures

Suitable Extinguishing Media Carbon Dioxide, Dry Chemical, Foam  
Use water fog to cool material in vicinity of fire.  
Unsuitable Extinguishing Media None known  
Unusual Fire or Explosion Hazards None known  
Special Fire Fighting Procedures Treat as oil fire; use self-contained breathing apparatus.

### Section 6. Accidental Release Measures

Steps to be taken in case Stop flow, scrape, wipe, mop up or absorb with diatomaceous earth or other

of spill or release

inert material. Disposal should be in accordance with local, state, and federal regulations.

## Section 7. Handling and Storage

Storage

Avoid storage near open flame or other sources of ignition.

Handling

Spills may cause slippery floors. Proper footwear required. Remove contaminated clothing and laundry before reuse. Wash hands with soap and water before eating, drinking or smoking. Discard contaminated leather gloves and shoes.

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Titanium Dioxide	10 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	N/A
NJT SRN 80100362-5018P	N/A	N/A	N/A
NJT SRN 80100362-5064P	N/A	N/A	N/A
NJT SRN 80100362-5107P	N/A	N/A	N/A
NJT SRN 80100362-5013P	N/A	N/A	N/A
NJT SRN 80100362-5004P	N/A	N/A	N/A
NJT SRN 80100362-5014P	N/A	N/A	N/A
NJT SRN 80100362-5075P	N/A	N/A	N/A
NJT SRN 80100362-5061P	N/A	N/A	N/A
NJT SRN 80100362-5008P	N/A	N/A	N/A

Personal Protective Equipment

Goggles, Gloves, Apron

Eye Protection

Approved safety glasses or goggles

Skin Protection

Use neoprene or nitrile rubber gloves to prevent skin contact.

Respiratory Protection

Normally not needed.

Other Protective Equipment Chemically resistant boots and apron recommended.

Work/Hygenic Practices

Use standard methods

## Section 9. Physical and Chemical Properties

Physical State	Semi-solid
Color	White
Odor	Mild odor
Odor Threshold	N/A
Solubility	Insoluble in water
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	0.9

Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	>500F
FP Method	COC ASTM 092
Ph	N/A
Melting Point	None
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

Note The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

## Section 10. Stability and Reactivity

Conditions to avoid	Do not heat above flash point.
Thermal Decomposition	Carbon dioxide, carbon monoxide
Hazardous polymerization	Will not occur
Materials to Avoid	Strong oxidizing agents, welding
Chemical Stability	Stable

## Section 11. Toxicological Information

Carcinogenicity This product contains no reported carcinogens or suspected carcinogens.

## Section 12. Ecological Information

Fate and Effects in Waste Water Treatment Plants	Complete information is not yet available.
Environmental Fate and Distribution	Complete information is not yet available.
Environmental Effects	Complete information is not yet available.

## Section 13. Disposal

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of

each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

## Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	Not regulated
DOT Classification	Not regulated
Packing Group	Not regulated

## Section 15. Regulatory Information

Global Chemical Inventory USA  
All components of this material are on the US TSCA Inventory or are exempt.

EU  
All components are in compliance with EC Seventh amendment Directive 92/32/EEC

Canada  
All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

## Section 16. Other Information

Revision Date 2/15/2016

Disclaimer The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.