



Safety Data Sheet

Dynatex® 55016 Transmission Assembly Lube

Section 1. Identification

Product Identifier Dynatex® 55016 Transmission Assembly Lube
Synonyms 55016WH10
Manufacturer Stock
Numbers 55016WH10

Recommended use Refer to Technical Information
Uses advised against Refer to Technical Information

Manufacturer Contact

Address Dynatex a division of Soudal Accumatic
350 Ring Road
Elizabethtown, KY, 42701
USA

Phone	Emergency Phone	Fax
(270) 769-3385	(800) 424-9300 CHEMTREC	(270) 769-6418

Section 2. Hazards Identification

Classification N/A
Signal Word
Pictogram
Hazard Statements N/A
Precautionary Statements
 Response N/A
 Prevention N/A
 Storage N/A
 Disposal N/A

Ingredients of unknown toxicity 0%

Hazards not Otherwise
Classified

Additional Information None known

Section 3. Ingredients

CAS	Ingredient Name	Weight %
	There are no ingredients present which are known to be classified as hazardous	Unknown

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention.
Eye contact	Wash immediately with large volumes of fresh water for at least 15 minutes. Get medical attention.
Skin contact	Wipe off with a towel. Wash with soap and water. Get medical attention if irritation persists.
Ingestion	Not a likely route of exposure.
Most important symptoms/effects, acute and delayed	Repeated exposure may cause skin dryness or cracking. May cause drowsiness or dizziness.
Indication of immediate medical attention and special treatment needed	None known

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Foam, Alcohol foam, CO2, Dry chemical, Water fog.
Unsuitable Extinguishing Media	Water spray may be ineffective.
Specific hazards arising from the chemical	Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Liquid content of container will support combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be readily apparent. Obtain medical attention. Hazardous decomposition products include carbon dioxide, carbon monoxide, and other toxic fumes.
Special equipment and precautions for fire-fighters	Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat. Wear goggles and use self-contained breathing apparatus. If water is used, fog nozzles are preferred.

Section 6. Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

Avoid breathing vapors. Ventilate area. Remove all sources of ignition.

Methods and materials for containment and cleaning up

Clean up with absorbent material and place in closed containers for disposal.

Section 7. Handling and Storage

Precautions for safe handling

Do not puncture or incinerate (burn) cans. Do not stick pins, nails, or any other sharp objects into opening on top of can. Do not spray in eyes. Do not take internally. See product label for additional information.

Conditions for safe storage, including any incompatibilities

Store and use in cool, dry, well-ventilated areas. Do not store above 120 F.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
There are no ingredients present which are known to be classified as hazardous	N/A	N/A	N/A

Personal Protective Equipment

Goggles, Gloves

Appropriate engineering controls

Ventilation should be sufficient to prevent inhalation of any vapors. General dilution and/or local exhaust ventilation in volume to keep PEL/TLV of most hazardous ingredient below acceptable limit and IEL below stated limit.

Respiratory protection

None under normal use. Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination of particles and vapor. In confined areas, use an approved air line respirator or hood. Self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

Protective gloves

None under normal use. Use solvent-resistant for prolonged or repeated contact.

Eye protection

None under normal use. However, use of safety glasses with splash guards or full face shield should be used if indicated.

Other protective clothing or equipment

None under normal use. However, use of solvent-resistant aprons or other clothing is recommended. Eye washes and safety showers in the workplace are recommended.
SHOWERS IN THE WORKPLACE ARE RECOMMENDED.

Section 9. Physical and Chemical Properties

Physical State	Solid [grease]
Color	Blue
Odor	Petroleum oil
Odor Threshold	Not available

Section 13. Disposal

Dispose of in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of this document for hazard cautionary information.

Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	Not regulated
DOT Classification	N/A
Packing Group	N/A
By land	DOT Proper Shipping Name: None required per 49 CFR 173.306(i) for products that conform to the Limited Quantity provisions. Commodity shipping description: Cleaning Compound, NOI
By water	DOT & IMDG Proper Shipping Name: UN1950, Aerosols, 2.1, LTD QTY
By air	DOT & IATA Proper Shipping Name: UN1950, Aerosols, flammable, 2.1, LTD QTY (packing instruction Y203 applies)

Section 15. Regulatory Information

All ingredients are either listed on the TSCA inventory or are exempt.

Section 16. Other Information

Revision Date 12/22/2015

Disclaimer The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.